



# The name of Ball-Bearing Slides

Repon is the brand leader in developing, manufacturing, and marketing of high-quality slides. We supply premium quality slides to different industries and distributors around the world. Repon has strong engineering capabilities, which enables us to win over 100 patents (including domestic & international) worldwide, and still growing further. Our leading-edge technologies lead us to customize the products and win the trusts of customers around the world!

40 years, Repon starts from a small workshop to a group of 3 individual manufacturing facilities with over 900 employees in both Taiwan and China.


Repon, the name of Ball-Bearing Slides, is ready to head to our next 3 decades!






### Profile Overview


#### NJ-21J (35kgs)




#### NJ-13002 (22kgs)




#### NJ-21A (45kgs)




#### NJ-21D (80kgs)




#### NJ-21Q (120kgs)





### 1001-185 Blade Server Slides



**1U** 

#### Developed for 438mm wide chassis

Universal tool-less bracket for EIA round (7.1mm\*7.1mm) and square (9.5mm\*9.5mm) cut-out installation.

Loading

35kgs

System weight for UL test standard.


1U-2U

**UFO CMA W-1602** 

#### Adjustable for left/right side power position

Outstanding wire design for better heatsink and air flow. Tool-less for installation.





#### 2U+ NJ-21D23 + CMA W1396

Developed for 438mm wide chassis and 9.5mm x 9.5mm square cut-out. SB tool-less for quick installation along with RoHS complaint plating.

Loading 80kgs

System weight for UL test standard.



#### 1U-2U NJ-21A40 + CMA W1475

Developed for 430mm wide chassis and 9.5mm x 9.5mm square cut-out. SB tool-less for quick installation along with RoHS complaint plating.

Loading 45kgs







**1**U

NJ-13002

Frictional slides, developed for 430mm wide chassis and 9.5mm x 9.5mm square cut-out.

EIA screw mount brackets along with RoHS complaint plating.

Loading

22kgs





### **SB Tool-less**

**Repon** SB tool-less can be applied to the different load rating of slides ranging from 34kgs(75lbs) to 100kgs (220lbs) and different chassis width from 430mm to 438mm. It is developed and designed to satisfy various needs on server slide solutions from cloud computing, and provide a new approach and idea to server designing. It placed Repon on a better and more advanced position among the other competitors.



**1U-2U** 

NJ-21A58

Developed for 430mm wide chassis and 9.5mm x 9.5mm square cut-out. SB tool-less for quick installation along with RoHS complaint plating.

Loading

45kgs





Developed for 438mm wide chassis and 9.5mm x 9.5mm square cut-out. SB tool-less for quick installation along with RoHS complaint plating.

Loading 80kgs



## Industrial













Refrigerator

## Medical Tool Dox Electronic Rypen

Slides into your Life!





#### NAN JUEN INTERNATIONAL CO., LTD.

NO.11, Alley 52, Lane 413, Ying-tao Road, Ying-ghor Dist, New Taipei City 239, Taiwan (R.O.C.)

T +886-2-2677-7429 (Rep.) F +886-2-2677-7142

E sales@repon.com.tw / repon.serv01@msa.hinet.net

#### SUZHOU NAN JUEN TRADE CO., LTD.

NO.70 Zhong-Shan East Road ,
Mu-Du Town, Wu-Zhong District, Suzhou China
T +86-512-6636-8066 (Rep.) F +86-512-6636-6966
E sales@repon.com.tw / repon.serv01@msa.hinet.net
www.repon.com.tw